

RETIFICIO PADANO S.r.l.

Via Padana Superiore, 176
I- 25035 OSPITALETTO (Brescia)
- Italy-

Tel. +39.030.684.8050 Web site: www.padano.it Fax. +39.030.684.8053 e-mail: <u>info@padano.it</u>





POST CAP PRISMA





FEATURES

- indicated for every kind of antihail system with concrete pole
- available both with or without screws
- it semplifies the mouting operations thanks to the screws in only 4 pieces


DIMENSIONS

• dimensions: 215x115x120 mm

(optional)



COD.	DESCRIPTION	PACK	вох	PALLET
1807-1351	Post Cap Prisma 7x7 (no screws)	40	40	640
1807-1352	Post Cap Prisma 7x8 (no screws)	40	40	640
1807-1353	Post Cap Prisma 8x8,5 (no screws)	40	40	640
1807-1355	Post Cap Prisma 9x9 (no screws)	40	40	640
1807-1357	Screws for Prisma (4pcs.)	40	200	2400
1807-0751	Mon-block (with nut and blot)	32	320	320
2008-0016	Special Nut M6 (optional)	32	32	-
2009-0156	Special screws 6x20 (optional)	32	32	-





POST CAP QUBO





FEATURES


- indicated for every kind of antihail system with concrete pole
- available both with or without screws
- it semplifies the mouting operations thanks to the screws in only 4 pieces
- 8.8 certified screws

DIMENSIONS


• dimensions: 160x115x120 mm

(optional)





COD.	DESCRIPTION	PACK	вох	PALLET
1807-1301	Post Cap Qubo 7x7 (no screws)	64	64	1024
1807-1302	Post Cap Qubo 7x8 (no screws)	64	64	1024
1807-1321	Post Cap Qubo 8x8,5 (no screws)	64	64	1024
1807-1305	Post Cap Qubo 9x9 (no screws)	64	64	1024
1807-1322	Screws for Qubo (4pcs.)	64	256	3200
1807-1326	Post Cap Qubo 10x12 (no screws)	45	45	720
1807-1327	Screws for Qubo10x12 (4pcs.)	45	225	2160
1807-0751	Mon-block (with nut and bolt)	32	320	320
2008-0016	Special Nut M6 (optional)	32	32	-
2009-0156	Screw 6x20 (optional)	32	32	-





POST CAP ZEPHIRO





FEATURES

- Indicated for every kind of antihail system with concrete pole
- It semplifies the mounting operations thanks to the screws in only 4 pieces
- 8.8 certified screws

DIMENSIONS


• dimensions: 216x100x105 mm













COD.	DESCRIPTION	PACK	вох	PALLET
1807-1401	Post Cap Zephiro 7x7 (no screws)	32	32	768
1807-1402	Post Cap Zephiro 7X8 (no screws)	32	32	768
1807-1403	Post Cap Zephiro 8x8,5 (no screws)	32	32	768
1807-1422	Screws for Zephiro	32	320	5120
1807-0751	Mon Block with nut and bolt	32	320	320
2008-0016	Special Nut M6	32	32	-
2009-0156	Screw 6x20 (optional)	32	32	-







POST CAP MONVISO





FEATURES

- indicated for every kind of hail system with concrete pole
- it semplifies the mounting operations thanks to the tab of the iron wire on the top
- it allows the mounting of the optional side protection to defend the net even later
- available both with screws for flat net and for "capannina"
- to avoid troubles when placing orders please write the name of the pole producer


- dimensions: (7x7 7x8 8x8 8x8,5): 125x115x135 mm
- dimensions: (8,5x8,5 9x9): 150x130x140 mm
- dimensions: (10x12): 160x135x180 mm



COD.	DESCRIPTION	PACK	ВОХ	PALLET
1807-0727	Post Cap Monviso 7x7 (no screws)	64	64	1024
1807-0728	Post Cap Monviso 7x8 (no screws)	64	64	1024
1807-0732	Post Cap Monviso 8x8 (no screws)	64	64	1024
1807-0731	Post Cap Monviso 8x8,5 (no screws)	64	64	1024
1807-0734	Post Cap Monviso 8,5x8,5 (no screws)	32	32	512
1807-0733	Post Cap Monviso 9x9 (no screws)	32	32	512
1807-0736	Post Cap Monviso 10x12 (no screws)	16	16	384
1807-0751	Mon-block (with nut and bolt)	32	320	320
1807-0709	Protection for the Monviso (1pcs)	256	256	6144
1807-0744	Double screws for Monviso/Reno/FG (10pcs)	32	128	6400
1807-0730	Capannina screws for Monviso (4pcs)	32	320	9600
2008-0016	Special Nut M6 (opt.)	32	32	-
2009-0156	Special screws 6x20 (opt.)	32	32	-










POST CAP TESTATA






FEATURES

- indicated for every kind of antihail system with concrete pole
- available both with or without screws

DIMENSIONS

• dimensions: 185x180x195 mm











COD.	DESCRIPTION	PACK	вох	PALLET
1807-0740	Post Cap 14x14 (no screws)	8	8	192
1807-0741	Screws (3pcs.)	8	8	4800







POST CAP LATINA






FEATURES


- Indicated for 32 mm arch covering systems
- it simplifies the mounting operations and system maintenance
- Available for concrete poles size 7x7 and 7x8
- Patented

DIMENSIONS

• Dimensions: 116x126x155mm

COD.	DESCRIPTION	PACK	вох	PALLET
1807-1505C	Post Cap Latina with screws (7x7 -7X8)	30	30	720
1807-1512C	Post Cap Latina Lambda with screws (7x7-7x8)	25	25	600
1807-0751	Mon block (with nut and bolt)	32	320	320





POST CAP SPHERA





FEATURES


- Indicated for 32 mm arch covering systems
- It simplifies the mounting operations and system maintenance
- Available for concrete poles size 8x8 and 9x9
- $\bullet~$ It reduces the wind stresses thanks to its fixing system through a floating sphere
- Patented


DIMENSIONS

• Dimensions: 121x121x185mm

COD.	DESCRIZIONE	CONF.	IMB.	PALLET
1807-1501C	POST CAP Sphera con viteria (8x8- 9x9)	24	24	576
1807-0751	Mon-block (con dado e vite)	32	320	320









POST CAPS

POST CAP ECO 5x5 - 6x6






FEATURES


- Ideal for systems with concrete pole, pressure mounting
- It semplifies the mounting operations as it does not need ties. The wings on the top hold wires in different diameters.
- It does not alter the net links
- High resistance to weather distress

DIMENSIONS

- Dimensions (5x5): 85x90 mm
- Dimensions (6x6): 85x90 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1807-0312	Post Cap 5x5 ECO (black)	-	150	2400
1807-0312GR	Post Cap 5x5 ECO (gray)	-	150	2400
1807-0308	Post Cap 6x6 ECO (black)	-	150	2400
1807-0308GR	Post Cap 6x6 ECO (gray)	-	150	2400







POST CAP ECO 7x7 - 9x9






FEATURES


- $\bullet \ \ Ideal \ for \ systems \ with \ concrete \ pole, \ pressure \ mounting$
- It semplifies the mounting operations as it does not need ties. The wings on the top hold wires in different diameters.
- It does not alter the net links
- High resistance to weather distress

- Dimensions (7x7): 83x99mm
- Dimensions (9x9): 104x113mm

COD.	DESCRIPTION	PACK	вох	PALLET
1807-0311	Post Cap 7x7 ECO (black)	-	120	1920
1807-0310	Post Cap 9x9 ECO (black)	-	80	1280
1807-0311GR	Post Cap 7x7 ECO (gray)	-	120	1920
1807-0310GR	Post Cap 9x9 ECO (gray)	-	80	1280









POST CAP FIX





FEATURES

- Ideal for systems with concrete pole, pressure mounting and then tighten the clamp at the bottom side of the cap.
- It semplifies the mounting operations as it does not need ties. The wings on the top hold wires in different diameters.
- It does not alter the net links
- High resistance to weather distress


DIMENSIONS


• Dimensions (6x6): 87x100 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1807-0320	Post Cap Fix 6x6 (black)	-	135	2160
1807-0320GR	Post Cap Fix 6x6 (gray)	-	135	2160









POST CAP AER





FEATURES

- Ideal for systems with concrete pole, pressure mounting
- It semplifies the mounting operations as it does not need ties. The wings on the top hold wires in different diameters.
- It does not alter the net links
- High resistance to weather distress


DIMENSIONS


• Dimensions (6x6): 85x90mm

COD.	DESCRIPTION	PACK	вох	PALLET
1807-0307	Post Cap 6x6 AER (black)	-	150	2400
1807-0307GR	Post Cap 6x6 AER (grey)	-	150	2400











POST CAP RENO






FEATURES

- indicated for flat hail systems with wooden pole
- it simplifies the mounting operation thanks to the screws for the locking of the iron wire on the top longitudinal wire
- available both with screws for flat net and for "capannina" (single screw)
- it does not alter the net links
- 8,8 certified screws


- Dimensions (10-12 cm): 130x180 mm
- Dimensions (14-16 cm): 180x220 mm







COD.	DESCRIPTION	PACK	вох	PALLET
1807-0903	Post Cap Reno Ø 10cm	32	32	512
1807-0901	Post Cap Reno Ø 12cm	32	32	512
1807-0906	Post Cap Reno Ø 14cm	16	16	256
1807-0904	Post Cap Reno Ø 16cm	32	32	512
1807-0744	Double screws (10pcs.)	32	128	-
1807-0730	Capannina screws (4pcs.)	32	320	-





POST CAP 4 AND 12 CM WITH CROSS





FEATURES

- indicated with every kind of hail system with wooden pole
- it simplifies the mounting operation thanks to the screws for the locking of the iron wire
- it does not alter the net links of the top


DIMENSIONS


Dimensions: 125x130 mmDimensions: 52x78 mm





COD.	DESCRIPTION	PACK	вох	PALLET
1807-0512	Post Cap Ø 12cm	200	200	3200
1807-0601	Screws for Post Cap with cross	200	200	6000
1807-0504	Post Cap Ø 4cm with cross (no screw)	500	500	12000







ROUND POST CAP





FEATURES

- ideal for systems with wooden pole
- it does not alter the net links
- high resistance to weather distress


DIMENSIONS

• Dimensions: from 64x95 mm to 165x160mm





COD.	DESCRIPTION	PACK	вох	PALLET
1807-0106	Post Cap Ø 6cm (black)	-	1000	16000
1807-0108	Post Cap Ø 8cm (black)	-	700	11200
1807-0110	Post Cap Ø 10cm (black)	-	500	8000
1807-0112	Post Cap Ø 12cm (black)	-	300	4800
1807-0114	Post Cap Ø 14cm (black)	-	250	4000
1807-0116	Post Cap Ø 16cm (black)	-	200	3200
1807-0108GR	Post Cap Round Ø 8cm (grey)	-	700	11200
1807-0110GR	Post Cap Round Ø 10cm (grey)	-	500	8000
1807-0112GR	Post Cap Round. Ø 12cm (grey)	-	300	4800
1807-0114GR	Post Cap Round Ø 14cm (grey)	-	250	4000





UNIVERSAL POST CAP







FEATURES


- indicated for every kind of hail system with wooden pole or recovery pole
- it simplifies the mounting operation thanks to its adaptability to
- different pole diameters
- it does not alter the net links

- Dimensions (6-10 cm): 120x100 mm
- Dimensions (18-21 cm): 220x180 mm





COD.	DESCRIPTION	PACK	вох	PALLET
1807-0201	Universal Post Cap Ø 6/10cm	500	500	8000
1807-0202	Universal Post Cap Ø 18/21cm	50	50	800





POST CAP FG 40-60-65






FEATURES

- indicated for the systems with iron pole
- it simplifies the mounting operation thanks to the screws for the locking of the iron wire on the top and the transverse wire
- available both with screws for flat net and for "capannina"
- it does not alter the net links
- 8 certified screws


DIMENSIONS

• Dimensions: 100x120 mm









COD.	DESCRIPTION	PACK	вох	PALLET
1807-1103	Post Cap FG40	64	64	1536
1807-1105	Post Cap FG60	64	64	1536
1807-1107	Post Cap FG65	64	64	1536
1807-0744	Double screws (10pcs.)	32	128	-
1807-0730	Capannina screws (4pcs.)	32	320	-



POST CAP CHAMPIGNON AND TERMINAL BOARD







FEATURES


- indicated for the systems with iron pole
- it simplifies the mounting operation thanks to the screws for the locking of the iron wire on the top and the transverse
- available both with screws for flat net and for "capannina"
- it does not alter the net links
- 8 certified screws

- Dimensions (cp): Ø 38 mm inside pole diameter
- Dimensions (base): 120x70 mm 193x160mm












COD.	DESCRIPTION	PACK	вох	PALLET
1807-1001	Post Cap Champignon	200	200	4800
1807-1002	Terminal board for Metal Pole 100	200	200	3200
1807-1005	Terminal board for Metal Pole 180	50	50	800





Post Cap Champignon





Sideburn for Metal Pole 100






Sideburn for Metal Pole 180





CLIP START





FEATURES


- ideal for tensioning the net at the beginning and the end of the row
- high resistance to weather distress
- 4 special screws included in the Box
- it can be open by a single hand
- reopenable
- high breaking load
- composed by 4 pieces


DIMENSIONS


• Dimensions: 105x48mm

COD.		DESCRIPTION	P	ACK	вох	PALLET
1702-1201	Clip Start			50	50	2400
1902-0531	Asola 30			50	50	2400









CLIP ROMA



FEATURES


- perfect for the sewing of the central row (flat)
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- composed by 4 pieces

DIMENSIONS

• Dimensions: 82x54mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-1101 Clip Roma		200	200	4800





CLIP RIVA - CLIP RIVA JR.











FEATURES


- perfect for the sewing of the central row
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- composed by 4 pieces

DIMENSIONS

• Dimensions: 54x33 mm / 74x40 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0901	Clip Riva	200	200	4800
1702-1001	Clip Riva JR.	400	400	9600





CLIP RANIA





FEATURES


- perfect for the sewing of the central row (flat)
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- composed by 4 pieces

DIMENSIONS

• Dimensions: 92x66mm


COD.	DESCRIPTION	PACK	вох	PALLET
1702-1102	Clip Rania	150	150	3600





CLIP RESIA





FEATURES


- perfect for the sewing of the central row
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- high breaking load
- composed by 4 pieces

DIMENSIONS

• Dimensions: 100x40 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0103	Clip Resia	200	200	4800





CLIP NEW RESIA





FEATURES


- Perfect for the sewing of the central row
- High resistance to weather distress
- It can get a pressure fixing on the net
- It can be open by a single hand
- Reopenable
- High breaking load
- Composed by 4 pieces

DIMENSIONS

• Dimensions: 100x40 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0105 Clip New Resia		150	150	3600





CLIP ROLLE





FEATURES


- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress
- high mounting speed thanks to the click points

DIMENSIONS

• Dimensions: 110x11 mm (ROLLE)

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0801 Clip Rolle		400	2000	32000





CLIP NEW ROLLE






FEATURES


- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress
- high mounting speed thanks to the click points

DIMENSIONS

• Dimensions: 95x10 mm (NEW ROLLE)

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0809	Clin New Rolle	250	750	18000







CLIP ROLLE 2





FEATURES


- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress
- high mounting speed thanks to the click points
- extendable by tools, it can be recovered by tools
- with tool

DIMENSIONS

• Dimensions: 100x21 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0802 Clip Rolle	2	200	800	12800





CLIP AGROPETTINE






FEATURES

- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress
- high mounting speed thanks to the click points


DIMENSIONS

• Dimensions: 85x26 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0407 Agro	pettine	2000	2000	32000







SEWING NAIL





FEATURES

- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress

DIMENSIONS


• Dimensions: 110x11 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1705-0302 Nee	dle sew in galvanized iron	2000	2000	100000
1705-0201 Nee	dle sew extra in PA-FV	250	6000	144000



CLIP NIÑA





FEATURES


- perfect to stretch the net with elastic and shadows
- high resistance to weather distress
- it can have a pressure fixing on the net
- high mounting speed thanks to the click points
- perfect for all types of net

DIMENSIONS

• Dimensions: 78x45 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0505 Clip Niña		250	1000	24000







CLIP 12 POINTS





FEATURES


- perfect to stretch the net with elastic and shadows
- high resistance to weather distress
- it can have a pressure fixing on the net
- perfect for all types of net

DIMENSIONS

• Dimensions: 110x35 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0402 Clip	12 points	250	1500	24000





CLIP MAGNUM





FEATURES


- perfect to stretch the net with elastic, for windbreak systems and shadows
- high resistance to weather distress
- it can have a pressure fixing on the net
- high mounting speed thanks to the click points
- perfect for all types of net

DIMENSIONS

• Dimensions: 113x45 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0501 Clip	Magnum PA	200	800	12800








CLIP ANCORPLACK





FEATURES


- perfect for windbreak and shadow nets
- high resistance to weather distress
- $\bullet\,$ it can be anchored directly on the wire thanks to the hook located on the upper side
- it can be fixed directly on the pressure net thanks to 2 click points
- perfect for all types of net

DIMENSIONS

• Dimensions: 50x45 mm


COD.	DESCRIPTION	PACK	вох	PALLET
1702-0201 Cli	ip Ancorplack	500	2500	40000





CLIP ANCORPLACK 2





FEATURES


- perfect for wind break and shadow nets
- high resistance to weather distress
- it can be anchored directly on the wire thanks to the hook located on the upper side
- it can be fixed directly on the pressure net thanks to click points
- perfect for all types of net

DIMENSIONS

• Dimensions: 130x42 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0204 Clip	Ancorplack 2	100	400	9600





CLIP 2 POINTS





FEATURES


- high resistance to weather distress
- it can have a pressure fixing thanks to 2 click points
- perfect for all types of net

DIMENSIONS

• Dimensions: 50x45 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0301	2 points clip (black)	500	3000	48000
1702-0302	2 points clip (green)	500	3000	48000





CLIP K4 - K10








- high resistance to weather distress
- it can be anchored directly on the wire thanks to the hook located on the upper side
- it can be fixed directly on the pressure net thanks to 4 click points
- perfect for all types of net


DIMENSIONS


• Dimensions: 53x55mm(K4)

• Dimensions: 63x70mm (K10)

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0210 C	Clip K4	250	1000	24000
1702-0211 C	Clip K10 + hook without security flap	500	500	12000
1702-0212 C	Clip k10 + hook with security flap	500	500	12000







CLIPH-H2





FEATURES


- Perfect for shadow-net and anti insect net
- Clip H2 is equipped with 2 eyelet

DIMENSIONS

• Dimensions: 55x33 mm - hole 11 mm

COD.	DESCRIPTION	PACK	ВОХ	PALLET
1702-0507 Clip H		250	1000	24000
1702-0509 Clip H2		250	1000	24000





RING CLIP





FEATURES


- It protects the net from wearing and tearing
- It can have a pressure fixing on the net
- Perfect for all types of net
- Perfect for antifrost and irrigation systems

DIMENSIONS

• Dimensions: 100 mm - hole 45 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0701 Ring clip		150	750	12000







FILM.NET JOINER CLIP





FEATURES


- perfect for matching, linking and fixing nets
- high resistance to weather distress
- it can have a pressure fixing
- it perfectly connects 2 overlapped nets
- perfect for all kinds of net

DIMENSIONS

• Dimensions: 80x27 mm

COD.	DESCRIPTION	PACK	вох	PALLET	
1702-0602	Film.Net joiner clip	500	3000	48000	










- high resistance to weather distress
- reopenable
- easy to install


DIMENSIONS

• Dimensions: 38x34mm - 48x34mm - 77x48mm

COD.	DESCRIPTION	PACK	вох	PALLET
1803-0115 C	Oval Carabiner 30mm	2500	2500	120000
1803-0114	Oval Carabiner 40mm STANDARD	2000	2000	96000
1803-0111	Oval Carabiner 75mm	500	3000	72000







ANCORA.NET





FEATURES


- perfect for the winter closing of nets
- high mounting speed
- practical and cheap
- when opening the nets you do not have to remove any element of the system


DIMENSIONS

• Dimensions: 500 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1802-0403 Anco	ra.NET 50 (A+B)	250	750	18000
1802-0401 Tie Ro	odhook Net (A)	250	1250	30000
1802-0402 Hook	Net (B)	250	2250	54000







Hook NET (B)

STOP.NET






FEATURES


- perfect for the winter closing and sewing of nets
- high mounting speed thanks to 6 points
- when opening the nets you do not have to remove any element of the system

- Dimensions: 110x500 mm
- Dimensions: 100x21 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1802-0405	Stop.NET (A+H)	250	750	12000
1802-0401	Tie Rodhook Net (A)	250	1250	30000
1702-0803	Rolle NET (H)	250	1500	24000
1802-0407	Stop.NET 2 (A+L)	250	500	8000
1702-0806	Rolle2.NET (L)	250	750	12000







CLIPS MORSA 70 WITH HOOK





FEATURES

- perfect for anchoring nets and plastic film, particularly indicated for anti-rain system
- high resistance to weather distress
- it can be anchored directly to the wire or the BUNGEE
- special self-tapping screw included in the Box
- perfect for all types of films of any thickness


DIMENSIONS

• Dimensions: 50x29mm - 70x60mm





COD.	DESCRIPTION	PACK	вох	PALLET
1701-0303	CLIP MORSA 70 WITH HOOK WITH SECURITY FLAP + SCREW	500	500	12000
1701-0304	CLIP MORSA 70 WITH HOOK WITHOUT SECURITY FLAP + SCREW	500	500	12000
1701-0307	CLIP MORSA 50 WITH HOOK WITHOUT SECURITY FLAP + SCREW	250	750	18000
1701-0308	CLIP MORSA 50 WITH HOOK WITH SECURITY FLAP + SCREW	250	750	18000







1701-0304 1701-0307



1701-0303 1701-0308






- perfect for anchoring nets and plastic film, particularly indicated for anti rain system
- high resistance to weather distress
- it can be energized easily thanks to the slot on the upper side
- special self-tapping screw included in the Box
- perfect for all types of films of any thickness

DIMENSIONS

• Dimensions: 27x42mm - 70x60mm

COD.	DESCRIPTION	PACK	вох	PALLET
1701-0301 Clip	Morsa 40 + screw	500	2000	48000
1701-0302 Clip	Morsa 70 + screw	500	500	12000






STOP.FILM 50-70








- high resistance to weather distress
- special self-tapping screw included in the Box


DIMENSIONS

• Dimensions: 50x42x500mm - 70x60x500mm

COD.	DESCRIPTION	PACK	вох	PALLET
1802-0408	STOP.FILM50 (A+I)	250	500	12000
1802-0409	STOP.FILM70 (A+L)	250	250	6000
1802-0401	TIES-ROD NET (A)	250	1250	30000
1701-0314	CLIP MORSA 70 FOR TIES-RODS + SCREW (L)	250	500	12000
1701-0306	CLIP MORSA 50 FOR TIES-RODS + SCREW (I)	250	1250	30000









MORSA 100






FEATURES


- perfect for anchoring nets and plastic film, particularly indicated for anti-rain system
- high resistance to weather distress
- perfect for all type of nets and films
- 2 special self-tapping screws included in the Box

DIMENSIONS

Dimensions: 104x41mmDimensions: 100x35mm

COD.	DESCRIPTION	PACK	вох	PALLET
1701-0310	MORSA 100 FOR THE TOP + 2 SCREWS	125	125	6000
1701-0313	MORSA 100 WITH EYELETS + 2 SCREWS	250	250	6000
1802-0401	TIES-ROD NET50	250	1250	30000





AMO HOOK





FEATURES

- perfect for anchoring "ground cover" and eyelet plastic films
- indicated for anti rain system
- high resistance to weather distress
- extreme resistance to traction


DIMENSIONS

• Dimensions: 48x38mm

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0406	АМО НООК	500	3000	72000
1804-0411	AMO HOOK S	1500	1500	36000

АМО НООК





AMO HOOK S



PINZA OMEGA





FEATURES


- perfect for anchoring nets and plastic films on a wire
- high resistance to weather distress
- fast and trigger mounting
- recoverable
- suitable for wires from 2.5mm to 4.0mm




DIMENSIONS

• Dimensions: 43x36mm

COD.	DESCRIPTION	PACK	вох	PALLET
1701-0202 CLI	P OMEGA (WHITE)	500	2000	48000





SAFETY BAND 50 - 70





FEATURES

- Perfect for anchoring nets and plastic films on a wire
- Perfect for 3-6 mm wires (50)
- Perfect for 3,5-7 mm wires (70)
- High resistance to weather distress
- Reopenable

DIMENSIONS

- Dimensions: 44x70mm
- Dimensions: 40x50mm


COD.	DESCRIPTION	PACK	вох	PALLET
1701-0102 SAFI	ETY BAND 70	100	500	12000
1701-0103 SAFI	ETY BAND 50	250	1000	24000


SAFETY BAND 70

SAFETY BAND 50














SELF LOCKING SPRING CATCH






FEATURES

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- extreme resistance to traction
- recoverable
- it locks the BUNGEE without a knot

DIMENSIONS

• Dimensions: 27x65mm



COD.	DESCRIPTION	PACK	вох	PALLET
1803-0104 SEL	F LOCKING SPRING CATCH	500	2000	48000

SELF LOCKING SPRING CATCH ELEPHANT





FEATURES

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- extreme resistance to traction
- recoverable
- hook with push bolt for a high security
- it locks the BUNGEE without a knot





DIMENSIONS

• Dimensions: 31x65mm



MOUNTING



PREMOUNTING SPRING CATCH







FEATURES

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- extreme resistance to traction
- recoverable

DIMENSIONS

• Dimensions: 27x65mm





31

COD.	DESCRIPTION	PACK	вох	PALLET
1803-0105	PREMOUNTING SPRING CATCH	500	2500	60000

PREMOUNTING SPRING CATCH ELEPHANT







FEATURES

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- · extreme resistance to traction
- recoverable
- · hook with push bolt for a high security





DIMENSIONS

• Dimensions: 31x65mm

TO OPEN PRESS AND TURN LEFT OR RIGHT

COD.	DESCRIPTION	PACK	вох	PALLET
1803-0106 Pre	emounting spring catch elephant	500	2000	48000

STANDARD AND METALLIC SPRING CATCH





FEATURES STANDARD

- perfect for anchoring film and nets with eyelets or clips
- perfect for 4-6mm ropes
- high resistance to weather distress
- recoverable


FEATURES METALLIC

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- recoverable


DIMENSIONS

• Dimensions: 25x60mm

COD.	DESCRIPTION	PACK	вох	PALLET
1803-0202	STANDARD SPRING CATCH	500	4000	96000
1803-0107	METALLIC GALVANIC SPRING CATCH	500	2500	48000



STANDARD SPRING CATCH





ANCORA.30





FEATURES

• tirante in PVC regolabile con Carabinero

DIMENSIONS

• Dimensions: 27x300mm

COD.	DESCRIPTION	PACK	вох	PALLET
1803-0109	Spring catch self-locking for rope 30cm	500	2000	48000
1803-0113	Spring catch eleph. self-locking for rope 30cm	500	2000	48000
1802-0203	Rope 30cm PVC (grey)	500	2000	48000





PREMOUNTED ELASTIC





FEATURES

- Perfect for stretching film and nets
- Bungee 8 mm black
- All the sizes available upon request
- Supplied with plastic or metallic spring catch

COD.	DESCRIPTION	PACK	вох	PALLET
1902-02	PRE-MOUNTED ELASTIC WITH 2 SPRING CATCH (DIFFERENT SIZES UPON REQUEST)	-	100	2400
2022				
2023	The colour indicator changes			
2024	yearly showing the period of			
2025	production.			
0007				

BALL WITH ELASTIC







FEATURES

- Perfect for the winter closing of the nets
- practical and cheap

- Dimensions: 200 250 350mm
- Dimensions (ball): Ø 27mm





COD.	DESCRIPTION	PACK	вох
1902-0502	BALL WITH ELASTIC 20CM	-	500
1902-0503	BALL WITH ELASTIC 30CM	-	500
1902-0508	BALL WITH ELASTIC 35CM	-	500
1802-0502	BALL FOR ELASTIC	500	3000



BUNGEE 8MM PET-PP





FEATURES

- Perfect for stretching film and nets
- "long life" 8mm elastic black rope
- Covering of the natural inner rubber with PET
- Perfect if supplied together with self locking spring catch
- Traceability of the product age thanks to the colored pilot light

2022	
2023	
2024	
2025	
2026	

The colour indicator changes yearly showing the period of production.

COD.	DESCRIPTION	PACK	вох	PALLET
1902-0201	Bungee 8MM - PET	BOB.	200MT	60
1902-1601	Bungee 8MM - ECOGREEN	вов.	200MT	60

ROPE PET






FEATURES

- Perfect for all type of anchoring
- Realized in braided PET

COD.	DESCRIPTION	PACK	вох	PALLET
1902-0402	Rope PET 3,5MM	вов.	500MT	96
1902-0403	Rope PET 5,0MM	BOB.	250MT	60

FIXING CLIP








FEATURES

• Avoid making knots on the rope

DIMENSIONS


• Dimensions: 53x21mm



COD.	DESCRIPTION	PACK	вох	PALLET
1701-0401 Fixing Clip+Screw		9000	2000	48000

SPIDER





FEATURES

- Ideal for anti-rain systems
- Spider, composed of: n.4 elephant hooks, n.2 Bungee 8mm, n.1 metal ring
- Spider SPECIAL, composed of: n.4 elephant hooks, n.2 Bungee 8mm, n.1 metal ring, n.1 metal hook, rope 5MM

COD.	DESCRIPTION	PACK	вох	PALLET
1902-0804 ACC	CESSORY "SPIDER120"	-	50	-
1902-0805 ACC	CESSORY "SPIDER150"	-	50	-
1902-0806 ACC	CESSORY "SPIDER120" SPECIAL*	-	50	-
1902-0807 ACC	CESSORY "SPIDER150" SPECIAL*	-	50	-

ENOKIT





FEATURES

- Ideal for antihail systems on espalier vineyard
- Composed by 6 elephant self locking spring catches and 3 pieces of 8 mm elastic, 60 cm long

COD.	DESCRIPTION	PACK	вох	PALLET
1902-0821 ENOKIT		-	50	1200

ENOLEGO





FEATURES

- Ideal for antihail systems on espalier vineyard
- Length 24CM

COD.	DESCRIPTION	PACK	вох	PALLET
1902-0822 ENO	LEGO	500	2000	48000
	244			
			30	
<			∀	
			13	





SINGLE HOOK





FEATURES

- perfect for the anchoring of a wire on a wooden or concrete pole
- to be anchored on the post through a screw or a metallic wire


DIMENSIONS

• Dimensions: 38x9mm

COD.	DESCRIPTION	PACK	вох	PALLET
1805-0101 SIN	GLE HOOK*	1000	10000	240000
	* screw not included	11	0 40 0 10	<u>0</u>

DOUBLE HOOK





FEATURES

- perfect for the anchoring of a wire on a wooden or concrete pole
- to be anchored on the pole through a screw or a metallic wire
- supplied with double post to hold the wire in case of slope changing

DIMENSIONS

• Dimensions: 55x18mm

COD.	DESCRIPTION	PACK	вох	PALLET
1805-0201	DOUBLE HOOK*	1000	5000	120000
	* screw not included	57	14	19

SUPPORT BAR 165MM



perfect for the anchoring of 2 wires on a wooden or concrete pole
to be anchored on the post through a screw or a metallic wire





DIMENSIONS

FEATURES

• Dimensions: 165x22mm

COD.	DESCRIPTION	PACK	вох	PALLET
1805-0301	SUPPORT BAR 165 MM*	250	750	18000









SUPPORT BAR 75MM





* screw+nut not included




FEATURES

- perfect for the anchoring of 2 wires on a wooden or concrete pole
- to be anchored on the post through a screw or a bolt

DIMENSIONS

• Dimensions: 75x20mm

COD.	DESCRIPTION	PACK	ВОХ	PALLET
1805-0302	SUPPORT BAR 75 MM*	250	3000	72000





CROSS-STOP





FEATURES

- perfect for anchoring caps and nets on a tubular
- perfect for greenhouses
- high resistance to weather distress
- screw mounting; recoverable

DIMENSIONS

• Dimensions: 22x25mm - 30x35mm - 40x40mm



COD.	DESCRIPTION	PACK	вох	PALLET
1806-0121	Cross Stop for wire 1,5-2,5MM	1000	2000	48000
1806-0130	Cross Stop for wire 2,5-4,0MM	100	1000	24000
1806-0140	Cross Stop for wire 4,0-10MM	250	500	12000
1806-0221	Cross Stop for wire 1,5-2,5MM sliding	1000	2000	48000
1806-0230	Cross Stop for wire 2,5-4,0MM sliding	100	1000	24000

CLIPS FOR GREENHOUSES





FEATURES

- clips for anchoring the film on the tubular for greenhouses
- material: PVC printed
- boxaging: Pack
- high resistance to weather distress

COD.	DESCRIPTION	PACK	вох	PALLET
1704-0115	CLIPS FOR GREENHOUSES Ø 15MM	250	3500	84000
1704-0120	CLIPS FOR GREENHOUSES Ø 20MM	250	3000	72000
1704-0125	CLIPS FOR GREENHOUSES Ø 25MM	250	2500	60000
1704-0130	CLIPS FOR GREENHOUSES Ø 30MM	250	2000	48000
1704-0135	CLIPS FOR GREENHOUSES Ø 35MM	250	1500	36000
1704-0140	CLIPS FOR GREENHOUSES Ø 40MM	250	1000	24000



CLIPS FOR IRRIGATION PIPE





FEATURES

- perfect for anchoring the dropping wing on the tutor wire
- perfect for vineyard and groves
- high resistance to weather distress
- trigger mounting
- recoverable

COD.	DESCRIPTION	PACK	вох	PALLET
1704-0216	CLIP FOR IRRIG. PIPE 16MM	250	3000	72000
1704-0220	CLIP FOR IRRIG. PIPE 20MM	250	2500	60000
1704-0225	CLIP FOR IRRIG. PIPE 25MM	250	1500	36000
1704-0232	CLIP FOR IRRIG. PIPE 32MM	250	1250	30000

HOOK FOR IRRIGATION PIPE





FEATURES

- perfect for anchoring the dropping wing on the tutor wire
- perfect for vineyard and groves
- high resistance to weather distress
- trigger mounting
- recoverable
- a drop break profile is in the down side

DIMENSIONS

• height: 50, 58, 90, 115mm

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0303	Short hook for irrigation pipe 16MM	500	5000	120000
1804-0304	Long hook for irrigation pipe 20MM	500	4000	96000
1804-0301	Long hook for irrigation pipe 16MM	500	3000	72000
1804-0302	Long hook for irrigation pipe 20MM	500	2500	60000

DOUBLE HOOK





FEATURES

- perfect for anchoring the drooping wing on the ground
- perfect for vineyards and orchard
- high resistance to weather distress
- one model for 16 and 20MM wing

DIMENSIONS

• Dimensions: 170x20mm

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0401	DOUBLE HOOK FOR IRRIG. 16-20MM	250	500	24000



REVERSE HOOK IN PVC





FEATURES

- indicated for stretching 2 wind break nets
- high resistance to weather distress
- used in the tent for grape


DIMENSIONS

• Dimensions: 50x11mm

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0501	REVERSE HOOK IN PVC	1000	10000	240000

IRON REVERSE HOOK





FEATURES

- indicated for stretching 2 windbreak nets
- high resistance to weather distress
- used in the tent for grape

DIMENSIONS

• Dimensions: 50x11mm

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0601	IRON REVERSE HOOK	-	1000	100000

REVERSE HOOK XL





FEATURES

- indicated for stretching 2 windbreak nets
- high resistance to weather distress
- used in the tent for grape

DIMENSIONS

• Dimensions: 58x15mm

COD.	XLDESCRIPTION	PACK	BOX	PALLET
1804-0602	IRON REVERSE HOOK XL	-	1000	100000



СНООК







- indicated for anchoring 1 or 2 nets
- used in vineyard to keep 2 wires near
- high resistance to weather distress

DIMENSIONS

• Dimensions: 15x55mm - 20x120mm

COD.	DESCRIPTION	PACK	ВОХ	PALLET
1804-0102	C HOOK WITH TAIL	1000	10000	240000
1804-0104	C HOOK WITHOUT TAIL	1000	10000	240000
1804-0105	C HOOK NO TAIL XL	500	4000	96000

SEWING NAIL





FEATURES

- indicated for the net sewing olive harvest
- high resistance to weather distress
- recoverable

DIMENSIONS

• Dimensions: 110mm

COD.	DESCRIPTION	PACK	вох	PALLET
1705-0202	SEWING NAIL BLACK	250	7500	180000
1705-0203	SEWING NAIL YELLOW	250	7500	180000



NAIL STOP NET







FEATURES

- indicated for the land fixing of caps and nets
- high resistance to weather distress
- hammering
- recoverable

DIMENSIONS

• dimensions: 110, 150, 200mm

• head diameter: 22, 45mm

COD.	DESCRIPTION	PACK	вох	PALLET
1705-0101	NAIL WITH TONGUES 11CM	200	3000	72000
1705-0106	NAIL 15CM	100	700	16800
1705-0104	NAIL 20CM	100	500	12000
1705-0402	NAIL STOP T. BOMB - 15 CM	100	700	1800
1705-0401	NAIL STOP T. BOMB - 20 CM	100	500	12000



S HOOK VIGNOLA - S IRON HOOK





FEATURES

- indicated for anchoring 1 or 2 nets
- high resistance to weather distress

DIMENSIONS

Dimensions: 23x46mm (VIGNOLA)Dimensions: 24x50mm (IRON)

COD.	DESCRIPTION	PACK	ВОХ	PALLET
1804-0409	HOOK "VIGNOLA"	1000	8000	192000
1804-0205	S IRON HOOK	1000	1000	100000



HOOK FOR EYELET - S HOOK









FEATURES

- indicated for anchoring the drilled and/or eyelet cap to a wire
- high resistance to weather distress

DIMENSIONS

Dimensions: 19x39mmDimensions: 22x40mm

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0402 HC	OOK FOR EYELET – LARGE	1000	8000	192000
1804-0403 HC	OOK FOR EYELET – SMALL	1000	8000	192000
1804-0202 SH	OOK	1000	10000	240000

ANTI TEAR WASHER





• indicated for fixing nets and films through a screw

DIMENSIONS

• Dimensions: Ø 22mm



COD.	DESCRIPTION	PACK	вох	PALLET
1703-0102 PVC	ANTI TEAR WASHER		1000	24000



BAND LEGO





FEATURES

- indicated for anchoring a plant to a tutor
- used mainly in spurred cordon vineyards
- it allows the growing of the plant without causing the choking
- extendable

COD.	DESCRIPTION	PACK	вох	PALLET
2202-0219	LEGO BAND 19 CM	500	5000	120000
2202-0226	LEGO BAND 26 CM	500	4000	96000
2202-0239	LEGO BAND 39 CM	200	2000	48000

BAND GUYOT





FEATURES

- indicated for anchoring a plant to a tutor
- used mainly in spurred cordon vineyards
- it allows the growing of the plant without causing the choking
- extendable

COD.	DESCRIPTION	PACK	вох	PALLET
2202-0301	GUYOT BAND 12 CM	1000	8000	192000



W - W2 HOOK





FEATURES

- indicated for anchoring the shoot to the tutor wire yearly
- used mainly for kiwi systems
- high resistance to weather distress

COD.	DESCRIPTION	PACK	вох	PALLET
2201-0304	W2 Hook - 9,5 CM for 2,5 - 3,5 MM wire	1000	10000	240000
2201-0307	W Hook - 6,5 CM for 2 - 3 MM wire	2000	14000	336000





VV



HOOK B1-B2





FEATURES

- indicated for anchoring the plant stock to the tutor wire
- used in grooves
- it allows the growing of the plant without causing the choking
- recoverable
- pliers available upon request to ease the mounting

DIMENSIONS

Dimensions: 15x150 mmDimensions: 15x188 mm

COD.	DESCRIPTION	PACK	вох	PALLET
2201-0401	Hook B1 for 2,2 - 3,0 MM wire	500	3000	72000
2201-0402	Hook B2 for 2,2 - 3,0 MM wire	500	2000	48000
2201-0403	Gripper for mounting the Hook B2	1	4	-





PVC BAG







FEATURES

- indicated for anchoring the plant stock to the tutor wire
- good resistance to traction and knot
- practical and cheap

COD.	DESCRIPTION	PACK	вох	PALLET
1901-0260	PVC Belt-hanging disposable bag 2,0MM	1 KG	15	600KG
1901-0120	PVC Belt-hanging disposable bag 3,0MM	1 KG	15	600KG
1901-0130	PVC Belt-hanging disposable bag 6,0MM	1 KG	15	600KG
1901-0501	PVC Skein 5,5MM Red	1 KG	15	600KG

POLYESTER WIRE





FEATURES

- minimum elasticity
- it does not conduct electricity
- $\bullet~$ in the laying it must be stretched for about 1,5%
- $\bullet \;$ wide range of elements for the laying on pg. 43
- used in vines and greenhouses

COD.	DESCRIPTION	PACK	вох	PALLET
2101-0201	PET 2,2 MM black (180MT/KG)	BOB.	10KG	60
2101-0301	PET 2,6 MM black (130MT/KG)	BOB.	10KG	60
2101-0401	PET 3,0 MM black (100MT/KG)	BOB.	10KG	60



METAL RING





FEATURES

- ideal to fix the net at the start/end of the raws
- practical and economical

COD.	DESCRIPTION	PACK	вох	PALLET
2011-0011	METAL RING Ø 80MM	-	50	-
2006-0037	METAL RING Ø 50MM	-	50	-

U METAL





FEATURES

• indicated for concrete posts

COD.	DESCRIPTION	PACK	вох	PALLET
1805-0306	U-METALLIC M8 FOR POST 8X8 + 2 NUTS	-	30	-
1805-0305	U-METALLIC M8 FOR POST 9X9 + 2 NUTS	-	30	-
1805-0307	ROUND-SHAPED PLATE FOR U-BOLT	-	30	-

CLAMP - CARABINER





FEATURES

• ideal to fix wire or rope

COD.	DESCRIPTION	PACK	вох	PALLET
2011-0006	CLAMP FOR WIRE 6 - 8MM	-	70	-
2011-0005	CLAMP FOR WIRE 4 - 5MM	-	50	-
2011-0010	CARABINER 60MM	-	50	-

COVER - CLAMP





FEATURES


• indicates for the protection of metal clamps #8-10


COD.	DESCRIPTION	PACK	вох	PALLET
2011-0012	COVER - CLAMP # 8-10 114	23	500	12000
	[37]	[38]		and the same


SPARE PARTS AND SCREWS


COD.	DESCRIPTION	PACK
	SCREWS FOR FLAT NET	
2009-0166	SCREW 10X40	10
2008-0009	NUT M10	10
2008-0021	NUT M10X30	10
	WASHER 10X40X2,5	10
2006-0014		10
	PLASTIC RING PP	10
	PLASTIC TOP PP	10
	PLASTIC CAP PP	10
	SPECIAL NUT M6 (OPTIONAL)	10
2009-0156		10
2009-0158	SCREW 10X80 (OPTIONAL)	10
2006-0038	COLLAR 32MM - M10 (OPTIONAL)	32
	SCREWS FOR "CAPANNINA"	
2008-0009	NUT M10	10
2003-0011	WASHER 10X40X2,5	10
2006-0014	SPECIAL WASHER 26X30	10
1807-0720	PLASTIC TOP PP	10
SCRE	EWS FOR POST CAP QUBO, PRISMA, ZEPHIRO	
1807-1223	SPECIAL WASHER PA 44X10,5X7	10
2006-0014	SPECIAL WASHER 26X30	10
2009-0154	SCREW 10X35	10
1807-0715	PLASTIC CAP PP (OPTIONAL)	10
	SCREWS FOR CP RENO	
2009-0126	SCREWED JOINT 10X100 (STANDARD)	32
2009-0146	SCREWED JOINT10X120 (UPON REQUEST)	32
2009-0174	SPECIAL TAP BOLT (UPON REQUEST)	1

COD.	DESCRIPTION	PACK
	SCREWS FOR POST CAP 14X14	
2003-0011	WASHER 10X40X2,5	10
2006-0014	SPECIAL WASHER 26X30	10
2009-0154	SCREW 10X35	10
SCREWS FOR 12CM POST CAP WITH CROSS		
1807-0603	SCREW M8X80	10
1807-0605	WASHER 12X36	10
2006-0014	SPECIAL WASHER 26X30	10
1807-0602	PLASTIC TAP PP	10
	SCREWS FOR MORSA CLIP	
2009-0159	SCREW 6X24 (FOR MORSA 40-50-100)	500
2009-0143	SCREW 6X30 (FOR MORSA 70-100)	500
	SCREWS FOR CAP SPHERA	
2009-0173	SCREW 4X20 (FOR HEMISPHERE)	40
2009-0143	SCREW 6X30 (FOR SHELL)	40
2008-0009	NUT M10	10
2003-0011	ROUND WASHER 10X40	10
2006-0014	BENT WASHER 26X30X2,5	10
1807-1502S	SPHERA CAP BODY (1 PIECE)	24
1807-1503S	HEMISPHERE FOR TUBE 32 MM	48
1807-1504S	CLOSING SHELL	24
	SCREWS FOR CAP LATINA	
2009-0175	0175 SCREWS FOR SHELL CLOSURE M8X40	32
2008-0009	NUT M10	10
2003-0011	ROUND WASHER 10X40	10
2006-0014	BENT WASHER 26X30X2,5	10
	LATINA CAP BODY (1 PIECE)	32
1807-1507S	CLOSING SHELL	2










SCREWS FOR 12CM POLE-CAP WITH CROSS




LEGEND

1. REVERSE HOOK (PG.34), 2 NAILS CLIP (PG.16)
2. SIMPLE POST CAP, AER POST CAP (PG.8)
3. CROSS-STOP (PG.32)
4. 2 NAILS CLIP (PG.16)

FLAT SYSTEM CONCRETE POLES

TAB. 2




TEGEND

1. CLIP RESIA, RIVA, RIVA JR. (PAG. 13)
2. POST CAP MONVISO (PAG. 7)
3. CLIP ROLLE, ROLLE2, SEW (PAG. 14)
4. CLIP MAGNUM, NIÑA (PAG. 15)
5. ANCORA.NET, STOP.NET (PAG. 19)

WOODEN POLES SYSTEM


TAB. 3



LEGEND

"CAPANNINA" SYSTEM

TAB. 4




LEGEND

1. 12 NAILS CLIP, CLIP ANCORPLACK2 (PAG.

SCHEMATIC MODEL

FLAT SYSTEM WITH ELASTICS AND WOODEN POLES

TAB. 5



1. CLIP MAGNUM, NIÑA (PAG. 15) SPRING CATCH, BUNGEE (PAG. 15, 27) 2. POST CAP RENO, POST CAP 12CM WITH CROSS, POST CAP SIMPLE (PAG. 8, 9, 10) 3. CLIP ROLLE, ROLLEZ, NEEDLE (PAG. 14) 4. CLIP MAGNUM, NIÑA (PAG. 15)

TEGEND